

PROTECTIT SP-600 EFFLORESCENCE REMOVER

Page: 1 Compilation date: 13/03/2014 Revision date: 8/8/2016

Revision No: 5

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: PROTECTIT SP-600 EFFLORESCENCE REMOVER

Product code: R11

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Salt neutralizer

1.3. Details of the supplier of the safety data sheet

Company name: PROTECTIT Special Protection

Unit 12

Oranmore Business Park

- Oranmore
- Galway

IRELAND

- Tel: 00353 91795849
- Email: mark@prosurfaceprotect.com

1.4. Emergency telephone number

Emergency tel: 00353 91795849

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1B: H314

Most important adverse effects: Causes severe skin burns and eye damage.

2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

Hazard pictograms: GHS05: Corrosion



 Signal words:
 Danger

 Precautionary statements:
 P102: Keep out of reach of children.

 P103: Read label before use.

P262: Do not get in eyes, on skin, or on clothing.



PROTECTIT SP-600 EFFLORESCENCE REMOVER

Page: 2

P260: Do not breathe dust/fumes/gas/mist/vapours/spray.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water/shower.
P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+313: If eye irritation persists: Get medical advice/attention.
P309+311: IF exposed or if you feel unwell: Call a PolSON CENTER/doctor.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

GLYCOLIC ACID

EINECS	CAS	PBT / WEL	CLP Classification	Percent
201-180-5	79-14-1	-	Acute Tox. 4: H332; Skin Corr. 1B: H314	11.000%

SODIUM XYLENE SULPHONATE

- 1300-72-7 -	Eye Irrit. 2: H319	2.000%	
---------------	--------------------	--------	--

Section 4: First aid measures

4.1. Description of first aid measures

 Skin contact:
 Remove all contaminated clothes and footwear immediately unless stuck to skin.

 Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

- **Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.
 - **Ingestion:** Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.
 - Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.



PROTECTIT SP-600 EFFLORESCENCE REMOVER

Page: 3

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.



PROTECTIT SP-600 EFFLORESCENCE REMOVER

Page: 4

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

Hazardous ingredients:

GLYCOLIC ACID

Population	Value	Exposure	Туре
Workers	9.2 mg/m3	Inhalation - Acute	DNEL
Workers	9.2 mg/m3	Inhalation - ACute	DNEL
Workers	57.69 mg/kg bw/day	Skin Contact - Long Term	DNEL
Workers	10.56 mg/m3	Inhalation - Long Term	DNEL
Workers	1.53 mg/m3	Inhalation - Long Term	DNEL
Consumers	2.3 mg/m3	Inhalation - Acute	DNEL
Consumers	28.85 mg/kg bw/day	Skin Contact - Long Term	DNEL
Consumers	2.3 mg/m3	Inhalation - Long Term	DNEL
Consumers	0.75 mg/kg bw/day	Ingestion - Long Term	DNEL
Consumers	2.6 mg/m3	Inhalation - Long Term	DNEL
-	0.0312mg/l	Fresh water	PNEC
-	0.0031 mg/l	Marine water	PNEC
-	0.115 mg/kg	Fresh water sediments	PNEC
-	0.0115 mg/kg	Marine sediments	PNEC
-	0.007 mg/l	Soil (agricultural)	PNEC
-	7 mg/l	Sewage Treatment Plants	PNEC
-	16.66 mg/kg	Food chain	PNEC
	Workers Workers Workers Workers Workers Consumers	9.2 mg/m3 Workers 9.2 mg/m3 Workers 9.2 mg/m3 Workers 57.69 mg/kg bw/day Workers 10.56 mg/m3 Workers 1.53 mg/m3 Workers 2.3 mg/m3 Consumers 28.85 mg/kg bw/day Consumers 0.75 mg/kg bw/day Consumers 0.75 mg/kg bw/day Consumers 0.0312mg/l - 0.0031 mg/l - 0.0115 mg/kg - 0.007 mg/l - 7 mg/l -	Inhalation - Acute9.2 mg/m3WorkersInhalation - ACute9.2 mg/m3WorkersSkin Contact - Long Term57.69 mg/kg bw/dayWorkersInhalation - Long Term10.56 mg/m3WorkersInhalation - Long Term1.53 mg/m3WorkersInhalation - Long Term1.53 mg/m3WorkersInhalation - Long Term2.3 mg/m3ConsumersSkin Contact - Long Term28.85 mg/kg bw/dayConsumersSkin Contact - Long Term2.3 mg/m3ConsumersInhalation - Long Term0.75 mg/kg bw/dayConsumersInhalation - Long Term0.75 mg/kg bw/dayConsumersInhalation - Long Term0.6 mg/m3ConsumersInhalation - Long Term0.75 mg/kg bw/dayConsumersInhalation - Long Term0.0312mg/l-Marine water0.0031 mg/l-Marine sediments0.115 mg/kg-Soil (agricultural)0.007 mg/l-Sewage Treatment Plants7 mg/l-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.



PROTECTIT SP-600 EFFLORESCENCE REMOVER

Page: 5

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Environmental: DO NOT eat, drink or smoke whilst using the product.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Off-white		
Odour:	Characteristic odour		
Evaporation rate:	Slow		
Oxidising:	No data available.		
Solubility in water:	Soluble		
Viscosity:	Non-viscous		
Boiling point/range°C:	100	Melting point/range°C:	No data available.
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point°C:	>93 Part	.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available.	Vapour pressure:	No data available.
Relative density:	No data available.	pH:	4
VOC g/l:	0		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.



PROTECTIT SP-600 EFFLORESCENCE REMOVER

Page: 6

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

GLYCOLIC ACID

DERMAL	MAN	-	>5,000	mg/kg
ORAL	RAT	LD50	2,040	mg/kg
VAPOURS	RAT	4H LD50	3.6	mg/l

SODIUM XYLENE SULPHONATE

DERMAL	RBT	LD50	2,000	mg/kg
ORAL	RAT	LD50	7,200	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

GLYCOLIC ACID

Daphnia magna	48H EC50	141	mg/l
GREEN ALGAE (Selenastrum capricornutum)	72H ErC50	44	mg/l
GREEN ALGAE (Selenastrum capricornutum)	72H NOEC	20	mg/l



PROTECTIT SP-600 EFFLORESCENCE REMOVER

Pimephales (Fathead Minnow)	96H LC50	164	mg/l	
ZEBRAFISH (Brachydanio rerio)	96H LC50	5,000	mg/l	

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1760

14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, N.O.S.

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 2

Marine pollutant: No

Page: 7



PROTECTIT SP-600 EFFLORESCENCE REMOVER

Page: 8

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H314: Causes severe skin burns and eye damage.
	H319: Causes serious eye irritation.
	H332: Harmful if inhaled.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.